







TABLE OF CONTENTS

p. ∠

Table of contents

n J

Techniques used for printing

p. 4 **Spoons**

p. / **Measures**

p. 12 **Scoops**

p. 14 **Buckets**

p. 18 Yellow TRAP

p. 20 **Rain Gauges**

p. 22 **Measuring quadrats**

Measuring quadrats

Thermometer Thermo 19/27

p. 24 **Thermometer SOIL**

p. 26
Cleaning brush Nozzle+

p. 26

Dial caliper MIL+

p. 27

Oil can JUMBO

p. 27

Knife Lizard

p. 28

Plastic seals

p. 29

Veterinary seals

p. 30

Sealed bottles

p. 31

Cylinder seals

p. 32

Seal Sibo-Pastil 10

p. 32

Sachets Cryptex

p. 32

Crimpers SIBO-BAG

p. 33

List of seals

p. 34

One-day wristbands

p. 36

Few-days wristbands

p. 38

Festival wristbands

p. 40

Crimper tool

p. 41

Waffle

p. 42 **Tokens**

p. 43

Event cups

SIGNS & SYMBOLS



total height (mm)



overall width (mm)



total length (mm)



diameter (mm)



total volume (ml)



marking area (width *height) (mm)



print possible in various colours



product with scale (printed or embossed)



product available in other colours on request



product approved for food contact (BPA free)

MOQ

minimum order quantity



the product is dishwasher safe at the specified maximum temperature (°C)



suitable for use in the microwave oven



recycled product (granulate)



polypropylene, a product of the safe plastic group (recyclable)



polyethylene, a product of the safe plastic group (recyclable)



product for multiple use



carton, number of items per carton (pcs.) quantity for Poland/ quantity for Europe



pallet, number of items per pallet (pcs.)



certyfikat Prüfinstitut Chemische Analytik GmbH




Certyfikat European Union Intellectual Property Office

TECHNIQUES USED FOR PRINTING

SCREEN PRINTING

The only method for permanent printing on plastics which allows products printed with this technique to be used in the agricultural, chemical, construction and food industries. Our screen printing inks are dishwasher safe, resistant to chemicals and abrasion. The advantage is the ability to print permanently without colour limitation, on any surface size (flat or convex).





PAD PRINTING

A method of permanent and fast printing on plastics, which that alows products printed with this technique to be used in the agricultural, chemical, construction and food industries. This printing technique is recommended for small products with a flat surfaces and limited printing areas with a small number of colours.

HOTPRINTER

It is a single-color printing technique performed using a heated matrix. The process involves embedding the design along with a layer of ink from a foil in the desired color onto the printing surface. The result is a slightly embossed print, often in metallic colors such as gold or silver. The advantages of this method include the durability and aesthetic appeal of the print, as well as the speed of execution.



INKJET

It is a contactless method of marking the surfaces of various materials by spray-applying colored ink onto a moving product. This technique allows for the permanent printing of not only text but also variable numbering, barcodes, and QR codes.

LASER

Laser printing, also known as laser engraving, is an advanced technology that enables precise and durable marking of various materials, including plastics. This process is based on the use of a laser beam, which, thanks to its high energy concentrated on a small point, thermally modifies the surface of the material.







SPOONS

Where can you use our spoons?

- animal nutrition
- pharmaceutical industry
- poultry farms food supplements
- food industry
- markets
- agriculture
- restaurants











FAMILY PIKO

STANDARD COLORS: MOQ 100 pcs.









COLORS OTHER: MOQ 50 000 pcs. Different





PIK00001

PIK00002







PIKO 2 ml









PIKO 10 ml

PIKO 20 ml

LOGO

LOGO

LOGO



PIKO0010

PIK00020









FAMILY PIKO-S

STANDARD COLORS: MOQ 100 pcs.







PIKO-5 30 ml

PIK00030







PIKO-S 50 ml

PIK00050







PIKO-5 75 ml PIK00075







art. no	art. name	1		$ \longleftarrow $	\varnothing		LOGO		PL/Europe		specifications
PIKO0001	PIKO 1 ml	6	18	91	18	1	35 x 6	-	15000 / 12000	160000	
PIK00002	PIKO 2 ml	10	22	94	22	2	35 x 7	-	11000 / 10000	112000	
PIKO0005	PIKO 5 ml	14	30	100	30	5	35 x8	-	8000 / 5500	80000	43 [7]
PIKO0010	PIKO 10 ml	18	36	106	36	10	40 x 8	-	6000 / 4000	56000	
PIK00020	PIKO 20 ml	22	45	115	45	20	40 x 9	-	3000 / 2500	36000	
PIK00030	PIKO-5 30 ml	30	42	90	42	35	30 x 10	√	2250 / 1500	21600	
PIKO0050	PIKO-S 50 ml	38	46	93	46	50	30 x 11	√	1700 / 1300	16000	
PIK00075	PIKO-S 75 ml	51	48	95	48	75	30 x 11	√	1200 / 900	12000	





MEASURES

Where can you use our measures?

- animal nutrition
- construction industry
- food industry
- agriculture
- beauty industry
- events, trade fairs
- advertisement
- catering
- horticulture
- chemical industry







possibility of labelling with a barcode

MEASURES



FAMILY NANO

Measures NANO 150 ml / 200 ml / 400 ml







art. no	art. name	1		$ \longleftarrow $	\varnothing		LOGO	Ш	PL/Europe		specifications
N000150	NANO 150 ml	107	59	59	59	200	170 x 60	√	1120 / 845	11520	
N000200	NANO 200 ml	110	66	66	66	270	160 x 80	√	1134 / 912	12672	MAX 95°C
N000400	NANO 400 ml	133	79	79	79	490	220 x 100	√	650 / 500	6048	MAX 95 C

FAMILY SMART

Measures SMART 500 ml

MOQ 100 pcs.



Measures SMART 1000 ml

MS01000 MOQ 100 pcs.



Measures SMART 1500 ml

MS01500 MOQ 100 pcs.



Measures SMART 2000 ml


MS02000 MOQ 100 pcs.



Measures SMART 3000 ml

MS03000

MOQ 100 pcs.





art. no	art. name	1		$ \longleftarrow $	\varnothing		LOGO		PL/Europe	M	specifications
MS00500	SMART 500 ml	148	98	140	98	730	130 x 60 /2	√	460 / 270	4592	
MS01000	SMART 1000 ml	183	122	175	122	1390	160 x 60 /2	√	210 / 144	2000	JLI CA I
MS01500	SMART 1500 ml	201	133	190	133	1800	170 x 60 /2	√	143 / 100	1440	
M502000	SMART 2000 ml	215	142	198	142	2200	190 x 70 /2	√	100 / 64	1216	MAX 95°C
MS03000	SMART 3000 ml	256	170	230	170	3750	200 x 80 /2	√	56 / 36	576	

Measures MUG 500 ml

M000500 M0Q 100 pcs.

Measures EKO 1000 ml

M001000





Measures TWIN 2000 ml

Measures SOLID 1800 ml

MOQ 250 pcs.





Measures GUSTAV 5000 ml

Measures BUCK 10 L

WM00010 M0Q 100 pcs.



Black

Blue



art. no	art. name	+		<u> </u>	\bigotimes		LOGO	IIII	PL/Europe		specifications
M000500	MUG 500 ml	98	92	130	92	580	180 x 80	√	144 / 120	1680	
M001000	EKO 1000 ml	134	124	184	124	1230	100 x 85 /2	√	150 / 96	1344	
MT02000	TWIN 2000 ml	187	173	177	-	2080	130 x 90	1	-	384	
M001800	50LID 1800 ml	201	126	211	126	1900	135 x 85	√	-	768	MAX 95°C
MG05000	GUSTAV 5000 ml	269	208	276	208	6450	200 x 120	√	42*	400	
WM00010	BUCK 10 l	245	296	274	274	10000	250 x 150	√	-	1000	


^{*}handle without assembly

White

Red

Green





FAMILY ARTHUR Scoops Arthur 200 g




Scoops Arthur 1000 g





Scoops Arthur 500 g



Scoops MEGA+ 2 kg





art. no	art. name	 		\bigoplus	\varnothing		LOGO		PL/Europe	M	specifications
ARTHUR200	ARTHUR 200 g	39	67	198	-	-	40 x 18	√	850/600	8000	
ARTHUR500	ARTHUR 500 g	56	93	251	-	1	45 x 19	√	400/300	4800	
ARTHUR1000	ARTHUR 1000 g	70	110	312	-	-	65 x 20	√	180/160	2240	
MEGA2000	MEGA+ 2 kg	84	137	340	-	-	112 x 60 + 70 x 30 /2	√	180* 63	1760* 640	MAX 95°C

^{*} handle without assembly





BUCKETS

Where can you use our buckets?

- animal feeding
- construction industry
- events, trade fairs
- advertisment
- social campaigns
- horticulture
- agriculture
- cleaning companies
- chemical industry
- beauty industry









Bucket EKO 5 l / 10 l



STANDARD COLORS: MOQ 100 pcs.

COLORS OTHER:



Dark Green

















Black

Orange Fuchsia

Bucket STRONG 12 l



STANDARD COLORS: MOQ 100 pcs.







COLORS OTHER: MOQ 1000 psc.




MOQ 1000 psc. Different

Bucket STRONG RECYCLING 12 l



Bucket STRONG 12 l with funnel



Bucket STRONG 16 l



Bucket STRONG 20 l



Handle soft grip



Bucket STRONG RECYCLING 16 L



Bucket STRONG RECYCLING 20 l



Bucket LID 12 l

LIDBLACK





						White	Black				
art. no	art. name	1		$ \!$	\varnothing		LOGO		PL/Europe	M	specifications
W000005	EKO 5 l	202	247	231	231	5350	200 x 120 /2	√	-	1000	
W000010	EKO 10 l	245	296	274	274	10000	250 x 150 /2	√	-	1000	
M001000	HANDLE SOFT GRIP 10 l / 12 l / 16 l / 20 l	16	11	105	-	-	-	-	1000	-	25) PP _
W00C12	STRONG COLOR 12 l	243	315	309	309	12000	300 x 140 /2	√	-	1000	
W00C16	STRONG COLOR 16 l	283	359	330	330	16000	300 x 150 /2	√		720	
W00C20	STRONG COLOR 20 l	288	394	357	357	20000	350 x 170 /2	√	-	540	
WOOR12	STRONG RECYCLING 12 l	243	315	309	309	12000	300 x 140 /2	√	_	1000	
WOOR16	STRONG RECYCLING 16 L	283	359	330	330	16000	300 x 150 /2	√	-	720	23 PE
WOOR20	STRONG RECYCLING 20 l	288	394	357	357	20000	350 x 170 /2	√	-	540	
WOOC12L	STRONG 12 LBLACK (WITH FUNNEL)	240	318	333	309	-	300 x 150 + 300 x 70	√	-	800	
I IDBL ACK	BUCKET LID 12 I	_	295	295	295	_	_	_	114 / 98	1440	



Yellow TRAP-01



TRAP - Yellow Container - Aid in Pest Control PEST MONITORING HARMFULNESS THRESHOLD

SET CONTAINS: vellow

Yellow TRAP-02

TRAPO20

MOQ 100 pcs.



Grid TRAP NET

TRAP



Principles of use:

The vessel should be placed on the field just after seeding rapeseed in autumn and after the last snow melts in the spring. Install it approximately 15 m from the field edge, always at the level of the plants' top. It is recommended to use at least four vessels for each plantation.

Pour water with a bit of dishwashing detergent up to the half of the vessel's height. The addition of the detergent will reduce the surface tension of water which will make the pests immerse

Monitor the vessel daily, i.e. count the immersed pests and read the pest limit threshold on the table printed on the vessel. Replace water in the vessel each time.

After exceeding the pest limit threshold, decide whether you want to spray the field.

The yellow vessel helps to diagnose the level of harmfulness done by such insects as: ceutorrhynchus, meligethes aeneus and dasineura brassicae.



Yellow TRAP PREMIUM 2.0

















Folding plastic stick





No connectors and hangers









Rain gauge RAIN - EKO

D000001E MOQ 100 pcs.



SET INCLUDES:







wooden stick holder plastic stick holder

Rain gauge RAIN FOLD - STANDARD

D0000015 M0Q 100 pcs.





Rain gauge RAIN FOLD PREMIUM+

DFOLD3RO MOO 100 pcs.







SET INCLUDES:









adder's

adder's indicators day/month

SLEEVE - FOLD

RAINFOLDOVERLAY

MOQ 100 pcs.












SET INCLUDES:





Characteristics of FOLD PREMIUM+ Rain Gauges:

- vertical scale up to 40 mm with a measurement accuracy of 0.5 mm of rainfall,
- extended estimated scale up to 70 mm (storm scale),
- two indicators on the funnel (in different colors) for recording weekly, monthly, or annual rainfall,
- the collector allows recording cumulative rainfall up to 250 mm (250 l/m²),
- conical design of the mounting ring ensures optimal positioning of the rain gauge relative to falling rain as a measuring device,
- rain gauge protected by Patent No. 218270,
- rain gauge packaging protected by Industrial Design
- measuring device with a storm scale protected by EUIPO No. 008303481-0001,
- option to add custom printing,



RAIN FOLD rain gauge with a folding stick in the box facilitating further distribution


MEASURING QUADRATS



Frame Standard 1/10 m²

RAM00105

MOQ 100 pcs.




Frame Mega 1/4 m²

RAMOO10M

MOQ 100 pcs.









thermometer

temperatures: winter 19°C, summer 27°C.



Thermometer SOIL - EKO

T000001E MOQ 50 pcs.

version 19 cm



probe 11 cm

version 40 cm



SET INCLUDES:





Thermometer **SOIL - STANDARD**

T0000025

MOQ 50 pcs.

version 19 cm



version 40 cm



probe 11 cr



OR



bucket clip

wall bracket self-adhesive

SET INCLUDES:



ting

OR 🍞

handle assembly probe 11 cm


THERMOMETER SOIL

Thermometer SOIL - PREMIUM / PREMIUM PRO

T000003P MOQ 50 pcs.

Farmer's THERMOMETER THERMOMET

version 19 cm





THE PREMIUM SET INCLUDES:



THE PREMIUM PRO SET INCLUDES:





Soil thermometers with a shorter needle (19 cm version) are used for measuring soil temperature (prior to sowing temperature-sensitive seeds) as well as for measuring water temperature (e.g., for calf watering) and air temperature (e.g., in barns).

Agricultural thermometers with a longer needle (40 cm version), on the other hand, are used for measuring the temperature of silage.

The dial of the agricultural thermometer provides an excellent space for printing a logo.



Soil temperature



Temperature of water



Air temperature



Mounting bracket



Handle for mounting on the bucket

Cleaning brush NOZZLE+ LOGO





STANDARD COLORS: MOQ 100 pcs.















Can be attached to a lanyard



Professional cleaning brush for nozzles. Every nozzle operator must have it in his pocket. On the short side are two faults, which measure the diameter of following caps: RAU - 17 mm and ARAG - 19 mm.

There is also a notch for setting the nozzle at an angle of 8 degrees. Next to the small hole are two insets.

This is also the key, that facilitates the tightening the cap to the nozzles with a width of 8 mm or 11 mm.



Dial caliper MIL+

5000001 MOQ 100 pcs.



o 4 s wase highly wase TILITIE TILITE COSO

Practical, plastic dial caliper with inch scale.


Measuring range: 0~150 mm Accuracy: +/- 0,05 mm Measuring range: 0~5 in Accuracy: +/- 1/128 in

The logo and scale can be imprinted in a custom color from the PANTONE color palette.



Oil can JUMBO 5 l





Knife LIZARD

NL00001 MOQ 100 pcs.




A small, ergonomic and handy knife for opening envelopes and packages.

Pocket knife Lizard is intended for everyday use by everyone and also for companies in logistics departments.

Logo printing possible.







FEATURES SEAL SIBO AND SIBO-L

- 330 mm length clamp seal
- diameter of strap 2,2 mm
- breaking strenght 180 N
- temperature range from -20°C to +80°C
- made of PP
- strong metal chamber


EXAMPLE PRINTS FOR SIBO AND SIBO-BAG SEALS




EXAMPLE PRINTS FOR SIBO-L SEALS



PACKING SEAL SIBO AND SIBO-L




Seal SIBO-BAG




FEATURES SEAL SIBO-BAG AND SIBO-BAG HUNTER

- 340 mm lenght clamp seal
- diameter of strap 2,2 mm x 5,2 mm
- breaking strength 400 N
- temperature range from -20°C to + 80°C
- made of PP
- strong metal chamber

Seal SIBO-BAG HUNTER




PACKING SEAL SIBO-BAG AND SIBO-BAG HUNTER



Veterinary marks and wild meat carcass markings


Marks for venison carcasses KYR-IW




Marks for venison carcasses KYR for licensed stores



Marks for venison carcasses KYR HUNTER dedicated to direct sales







ONE CAP FITS ALL BOTTLE SIZES





FACTORY OR CUSTOM NUMBERING

FEATURES

- the cap breaks the sealing ring at opening attempt
- prevents access to the contents of the bottle to unauthorized people
- turning force minimum 4.0 Nm

USAGE


- storage of low octane fuel samples like diesel, food products, chemicals
- protection of liquid and loose products
- used by hospitals, laboratories, gas stations, shipyards, sea transport

BENEFITS

- unique numbering guarantees integrity, protects against industrial espionage and forgery
- bottles made material which meets the materials requirements intended to come into contact with food
- very easy assembly without any tools
- different cap colors make it easy to identify samples
- unique numbering allows for better control and ensures the integrity of samples

PACKING


Bottles 500 ml





dimensions of box 59 x 23 x 46 cm


Bottles 1000 ml






dimensions of box 66 x 35 x 53 cm





Bottles 2000 ml





dimensions of box 59 x 23 x 46 cm

Seal SIBO-ROTO



Seal SIBO-ROTO WHITE



FEATURES

- dedicated for Ø0,6 mm wire, e.g. String 600
- 0,6 mm string breakout force 200 N
- wing seal with individually adjustable operational lenght
- made of polycarbonate (PC) / POM
- temperature range from -20°C to +80°C
- wire sold separately

PACKING 100 pcs. in plastic bag 2 000 pcs. per box kg 3 kg dimensions of box 57 x 27 x 14 cm

Sealing wire STRING 600




USAGE

- designed for use as a complementary component for butterfly seals, such as SIBO-ROTO
- securing measuring devices, warehouses, and vehicles
- to be cut into appropriate lenghts according to individual requirements

FEATURES

- pcv coated stainless steel wire, so it doesn't stratify
- diameter 0.6 mm
- available in 25 meters rolls
- 100 N breaking force

Seal SIBO-PASTIL 10



- compatible with any crimper tool
- requires no special reprocessing procedures unlike lead seals
- can be used with sealing wire, cord, line of any length
- 18 x lighter than lead seal

PACKING



100 pcs. in plastic bag





EPS sachet seals



PACKING



10 pcs. per blister



250 pcs. per packet



5 000 pcs. per box



550 kg

dimensions of box 20 x 20 x 13 cm


Sealed sachets CRYPTEX



FEATURES

- unique sealing chamber, compatible with EPS seals
- made from durable KODURA polyester a type of multi-layer fabric
- transparent outer pocket, with access only from inside the sachet
- available in blue

Manual crimping tool ZA-01 for SIBO-BAG seals



FEATURES AND BENEFITS

- designed for sealing SIBO BAG bags
- increased efficiency with minimum effort
- works especially when closing Big-Bags on the production line, e.g. manufacturers of artificial fertilizers
- they are HEAVY DUTY tools
- robust steel construction
- ergonomically shaped
- manual guillotine

List of seals

	TAIL	TENSILE STRENGHT	IMPRINT
SIBO Your logo AD000034	Ø 2,2 mm	180 N	hot-stamping inkjet
SIBO-L IN XXXX	Ø 2,2 mm	180 N	laser
SIBO-BAG Your logo A0000004	2,2 x 5,2 mm	400 N	hot-stamping inkjet
EPS RES			inkjet
SIBO-ROTO	Ø 0,6 mm	200 N	inkjet pad printing
SIBO-ROTO WHITE	Ø 0,6 mm	200 N	inkjet pad printing
SIBO-PASTIL 10	max Ø 1,8 mm		
KYR (COOCI)	4 x 1,1 mm		inkjet



001 TYVEK® SLIM 19 mm





One-Day Adhesive Wristband Made of TYVEK® (Slim Version, 19 mm Width).

TYVEK® is a lightweight, waterproof, and tear-resistant material made from polyester fibers, resembling paper. Its durable color and unique factory numbering add extra value to this product.

The print does not affect the quality of the wristband.

Logo printing: screen printing


Individual numbering, barcodes, or QR codes: inkjet printing

Neon colors glow under UV light.

Available colors according to the PANTONE pattern book:









Orange

neon

Pink

neon

Green


neon

White Yellow Yellow

neon



Red



One-Day Adhesive Wristband Made of TYVEK® (wide Version, 25 mm Width).

TYVEK® is a lightweight, waterproof, and tear-resistant material made from polyester fibers, resembling paper. Its durable color and unique factory numbering add extra value to this product.

The print does not affect the quality of the wristband.

Logo printing: screen printing

Individual numbering, barcodes, or QR codes: inkjet printing

Neon colors glow under UV light.



AP 004 TYVEK® 1 TAB 25 mm



Available colors according to the PANTONE pattern book:


White Yellow

387U 804U
Yellow Orange
neon neon

1788U Red

2995U Blue

Black



One-Day Adhesive Wristband Made of TYVEK® (wide Version, 25 mm Width with coupon).

TYVEK® is a lightweight, waterproof, and tear-resistant material made from polyester fibers, resembling paper. Its durable color and unique factory numbering add extra value to this product.

The print does not affect the quality of the wristband.

Logo printing: screen printing

Individual numbering, barcodes, or QR codes: inkjet printing

Neon colors glow under UV light.

AP 024 ULTIMO FULL COLOR SLIM 19 mm





One-Day Adhesive Wristband Made of ULTIMO Paper **(Slim Version, 19 mm Width)**

ULTIMO paper is a thicker material with a textured, grainy surface. This product features full-color laser printing and unique factory numbering.

Printing method: **Digital (laser) printing** with a distinctive "dotting" effect.

Full Color

Print color:

AP 025 ULTIMO FULL COLOR WIDE 25 mm

M00 100 pcs.





One-Day Adhesive Wristband Made of ULTIMO Paper (Wide Version, 25 mm Width).

ULTIMO paper is a thicker material with a textured, grainy surface. This product features full-color laser printing and unique factory numbering.

Printing method: **Digital (laser) printing** with a distinctive "dotting" effect.





AP 003 VINYL SLIM 19 mm

MOQ 100 pcs.





Multi-Day Clasp Wristband Made of Vinyl (Slim Version, 19 mm Width). Vinyl is a highly durable material with mechanical strength, water resistance, and a characteristic sheen.

The print does not affect the quality of the wristband.

Logo printing: Screen printing

Individual numbering, barcodes, or QR codes: Inkjet printing Neon colors glow under UV light.

Available colors according to the PANTONE pattern book:























L HOLOGRAM 19 mm

MOQ 100 pcs.























Multi-Day Clasp Wristband Made of Vinyl (Slim Version, 19 mm Width with a holographic effect).

Vinyl is a highly durable material with mechanical strength, water resistance, and a characteristic sheen.

The print does not affect the quality of the wristband.

Logo printing: Screen printing

Individual numbering, barcodes, or QR codes: Inkjet printing

FEW-DAYS WRISTBANDS

AP 002 VINYL WIDE 25 mm



Available colors according to the PANTONE pattern book:



Gray 6C



neon

Black











Multi-Day Clasp Wristband Made of Vinyl (Wide Version, 25 mm Width). Vinyl is a highly durable material with excellent mechanical strength, water resistance, and a distinctive glossy finish. The print does not affect the quality of the wristband.

Logo printing: Screen printing

Individual numbering, barcodes, or QR codes: Inkjet printing

Neon colors glow under UV light.

INYL 5 TAB



Available colors according to the PANTONE pattern book:













INYL 7 TAB



Available colors according to the PANTONE pattern book:
















Multi-Day Clasp Wristband Made of Vinyl with 5 Tear-Off Coupons. Vinyl is a highly durable material with excellent mechanical strength, water resistance, and a distinctive glossy finish.

The print does not affect the quality of the wristband.

Logo printing: Screen printing

Individual numbering, barcodes, or QR codes: Inkjet printing

Neon colors glow under UV light.



Multi-Day Clasp Wristband Made of Vinyl with 7 Tear-Off Coupons. Vinyl is a highly durable material with excellent mechanical strength, water resistance, and a distinctive glossy finish.

The print does not affect the quality of the wristband.

Logo printing: Screen printing

Individual numbering, barcodes, or QR codes: Inkjet printing Neon colors glow under UV light.

273 mm

10 VINYL 10 TAB



Available colors according to the PANTONE pattern book:



neon

neon neon

0 0 0 0 0 0

Multi-Day Clasp Wristband Made of Vinyl with 10 Tear-Off Coupons. Vinyl is a highly durable material with excellent mechanical strength, water resistance, and a distinctive glossy finish.

The print does not affect the quality of the wristband.

Logo printing: Screen printing

Individual numbering, barcodes, or QR codes: Inkjet printing Neon colors glow under UV light.



OP 007 SUBLIMATION WITH ALU LOCK

MOQ 100 pcs.

Full Color CMYK

Fastener:

Aluminium



Wristband Made of Satin-Finish Polyester Ribbon. This wristband is designed for multi-color sublimation printing, a technique that ensures lasting color and pattern durability. Beyond identification, it serves as a memorable event keepsake.


To secure the wristband, slide the ALU clasp onto it and then tighten it using a ratchet seal press or hi-speed press (see page 40 for details).

+TAG PVC attached to the fabric wristband Print: custom text, numbering, QR code





Dimensions:



WRISTBANDS SUBLIMATION

OP 020 SUBLIMATION WITH SELFGRIP







Wristband Made of Satin-Finish Polyester Ribbon. Designed for multi-color sublimation printing, this wristband offers long-lasting color and pattern durability. Beyond identification, it can also serve as an event souvenir.

The SELFGRIP clasp is pre-attached to the wristband and requires only tightening to a comfortable position once placed on the wrist. The clasp ensures a one-time closure with a one-way sliding mechanism.

+TAG PVC attached to the fabric wristband Print: custom text, numbering, QR code

Types of Tags:









(LASER)

code QR rolling code (LASER)



LOGO



pernament o (LASER)

350 mm

(LASER)

Fastener:

Print color:

Full Color CMYK



Selfgrip

black



Selfgrip

white



white fluo



Dimensions:



024 SUBLIMATION WITH MULTICORAL

MOQ 100 pcs







Wristband Made of Satin-Finish Polyester Ribbon. Designed for multi-color sublimation printing, this wristband offers long-lasting color and pattern durability. Beyond identification, it can also serve as an event keepsake.

The MULTICOLOR clasp is pre-attached to the wristband and only requires tightening to a comfortable position when placed on the wrist. The clasp is adjustable in both directions, allowing the wristband to be removed and kept as a souvenir without damage ("remove & keep").

+TAG PVC attached to the fabric wristband Print: custom text, numbering, QR code

Types of Tags:











rolling code (LASER) pernament code (LASER)



Stumble:

Full Kolor

CMYK





black multicoral







Dimensions:

350 mm e / secure printable area (project with margin 18 x 350 mm)

CRIMPER TOOL

CRIMPER TOOL



The ratchet mechanism ensures consistent clamping force for the aluminum clasp, regardless of the operator's strength when using the sealing tool.

The sealing tool is designed for use with wristbands: OP007



CRIMPER TOOL HISPEED



The hi-speed sealing tool is perfect for large-scale festivals and concerts. It provides fast and consistent clamping of aluminum clasps, regardless of the operator's strength.

The sealing tool is designed for use with wristbands: OPO07







WAFFLE FESTIVAL TOKENS

MOQ 10 pcs.

Where can You use our tokens?

- festival tokens, quick service guaranteed
- excellent non-cash currency for large events
- available in sheets of 40 pcs.
- possibility to break out smaller sheets of 20 pieces. (1 sheet is the size of 4 credit cards)
- practical hole, allows you to carry the sheet, e.g. a leash
- easy distribution, each chip has a special groove making it easy to break in half

Available colors according to the PANTONE pattern book:













White Yellow Blue Green Black










- 1 WAFFLE SHEET = 40 BASIC TOKENS OR 80 MINI TOKENS
- 1 WAFFLE SHEET = 4 X MAXI (CREDIT CARD SIZE)
- 1 MAXI = 10 BASIC TOKENS
- 1 BASIC TOKEN = 2 MINI TOKENS



TOKENS CHIP





Available colors according to the PANTONE pattern book:















WITHOUT HOLES

CHIP C CHIP D SIZE

Available colors according to the PANTONE pattern book:













Free of charge pictograms:









THE TOKEN **TRAY**



FOB FOR TOKENS



Available colors according to the PANTONE pattern book:







HANGER FOR TOKENS



suitable for 23.3 mm tokens

Available colors according to the PANTONE pattern book:











CUPS NANO 200 ML / 400 ML

MOO 100 pcs



Specifications:



made of chemical resistant material



can be washed in dishwashers (up to: temp. +95°C)



freely customisable promotional prints, logos



individual measuring scales ml/g

Our NANO event cup, made of polypropylene, is an eco-friendly product that is easy to clean, even in dishwashers at temperatures up to 95°C. With the option to print any client logo, it becomes not only a practical tool but also an effective advertising medium and a marketing gadget for industry professionals.

Printing method: Screen printing