



2025
New products

HC-13A

- Hoja/Blade: 145 mm
- Mango/Handle: 125 mm
- Peso/Weight: 350 grs
- Acero/Steel: X50CrMoV15
"MoVa" (1.4116)
- Dureza/Hardness: 56-58 HRC
- Empuñadura/Handle: Asta de
ciervo/Deer stag
- Funda/Sheath: Piel/Leather



GAUCHO-20S

- Hoja/Blade: 200 mm
- Mango/Handle: 130 mm
- Peso/Weight: 190 grs
- Dureza/Hardness: 56-58 HRC
- Acero/Steel: X50CrMoV15 "MoVa" (1.4116)
- Empuñadura/Handle: Mango de asta de ciervo con roseta/Deer stag handle with crown
- Virola/Bolster: Inox
- Funda/Sheath: Piel/Leather





BW-18LR

- Hoja/Blade: 180 mm
- Mango/Handle: 110 mm
- Peso/Weight: 250 grs
- Dureza/Hardness: 56-58 HRC
- Acero/Steel: X50CrMoV15 "MoVa"(1.4116)
- Empuñadura/Handle: Madera prensada coral/Coral pakawood
- Guarda/Guard: Inox
- Funda/Sheath: Piel/Leather



RHINO-25A

- Hoja/Blade: 250 mm
- Mango/Handle: 125 mm
- Peso/Weight: 500 grs
- Espesor/Thickness: 4,5 mm
- Acero/Steel: X50CrMoV15 "MoVa" (1.4116)
- Guarda/Guard: Inox
- Empuñadura/Handle: Asta de ciervo/Deer stag
- Funda/Sheath: Piel/Leather

AGARRE-LUJO

- Hoja/Blade: 265 mm
- Mango/Handle: 160 mm
- Peso/Weight: 670 grs
- Acero/Steel: X50CrMoV15
"MoVa" (1.4116)
- Empuñadura/Handle: Asta
de ciervo/Deer stag
- Defensa/Guard: Plata de
ley/Sterling silver
- Funda/Sheath: Piel/Leather

Limited edition 250 units





LM-8R

- Hoja/Blade: 90 mm
- Mango/Handle: 110 mm
- Peso/Weight: 85 grs
- Dureza/Hardness: 56-58 HRC
- Acero/Steel: X50CrMoV15 "MoVa" (1.4116)
- Cachas/Scales: Madera prensada coral/Coral pakawood
- Funda/Sheath: Piel/Leather



3160-M

- Hoja/Blade: 160 mm
- Mango/Handle: 110 mm
- Peso/Weight: 225 grs
- Dureza/Hardness: 56-58 HRC
- Espesor/Thickness: 3,5 mm
- Acero/Steel: X50CrMoV15 "MoVa" (1.4116)
- Cachas/Scales: Zamak y madera prensada haya/Zamak and pressed beech wood
- Funda/Sheath: Piel/Leather



COL-7.TO

- Hoja/Blade: 73 mm
- Mango/Handle: 81 mm
- Peso/Weight: 82 grs
- Espesor/Thickness: 3 mm
- Dureza/Hardness: 56-58 HRC
- Acero/Steel: X50CrMoV15
"MoVa" (1.4116)
- Empuñadura/Handle: Madera
estabilizada al vacío/Stabilished
maple wood
- Virola/Bolster: Latón/Brass
- Funda/Sheath: Piel/Leather



COL-7G

- Hoja/Blade: 70 mm
- Mango/Handle: 85 mm
- Peso/Weight: 75 grs
- Espesor/Thickness: 3 mm
- Dureza/Hardness: 56-58 HRC
- Acero/Steel: X50CrMoV15 "MoVa" (1.4116)
- Empuñadura/Handle: Granito azul/Granit stone
- Virola/Bolster: Latón/Brass
- Funda/Sheath: Piel/Leather



4410-M

- Hoja/Blade: 100 mm
- Mango/Handle: 105 mm
- Peso/Weight: 130 grs
- Dureza/Hardness: 56-58 HRC
- Acero/Steel: X50CrMoV15 "MoVa" (1.4116)
- Cachas/Scales: Micarta yute marrón/Brown jute micarta
- Funda/Sheath: Piel/Leather



BW-6A

- Hoja/Blade: 74 mm
- Mango/Handle: 100 mm
- Peso/Weight: 75 grs
- Espesor/Thickness: 2,5 mm
- Dureza/Hardness: 56-58 HRC
- Acero/Steel: X50CrMoV15 "MoVa" (1.4116)
- Empuñadura/Handle: Asta de ciervo/Deer stag
- Guarda/Guard: Inox
- Funda/Sheath: Piel/Leather



LEÑADOR

- Hoja/Blade: 250 mm
- Mango/Handle: 135 mm
- Peso/Weight: 700 grs
- Espesor/Thickness: 4,5 mm
- Dureza/Hardness: 56-58 HRC
- Acero/Steel: X50CrMoV15 "MoVa" (1.4116)
- Empuñadura/Handle: Madera prensada palorojo/Red pakawood
- Defensa/Guard: Latón/Brass
- Funda/Sheath: Piel/Leather



LEÑADOR-25R

- Hoja/Blade: 250 mm
- Mango/Handle: 135 mm
- Peso/Weight: 700 grs
- Espesor/Thickness: 4,5 mm
- Dureza/Hardness: 56-58 HRC
- Acero/Steel: X50CrMoV15 "MoVa" (1.4116)
- Empuñadura/Handle: Madera prensada palorojo/Red pakawood
- Defensa/Guard: Latón/Brass
- Funda/Sheath: Piel/Leather
- Hoja espejo brillo. Incluye estuche de presentación/Shiny blade. Presentation box



BWE-8.O

- Hoja/Blade: 80 mm
- Mango/Handle: 85 mm
- Peso/Weight: 72 gr
- Espesor/Thickness: 3 mm
- Dureza/Hardness: 56-58 HRC
- Acero/Steel: X50CrMoV15
"MoVa" (1.4116)
- Cachas/Scales: Micarta
naranja/Orange micarta
- Funda/Sheath: Piel/Leather



MOUSE-7M

- Hoja/Blade: 65 mm
- Mango/Handle: 80 mm
- Peso/Weight: 135 gr
- Dureza/Hardness: 58-60 HRC
- Acero/Steel: SANDVIK14C28N
- Empuñadura/Handle: Micarta yute marrón-mostaza/Brown-mustard jute micarta
- Funda/Sheath: Piel/Leather





ZX-8CO

- Hoja/Blade: 85 mm
- Mango/Handle: 100 mm
- Peso/Weight: 90 grs
- Espesor/Thickness: 2,5 mm
- Dureza/Hardness: 59-61 HRC
- Acero/Steel: 440C
- Cachas/Scales: Madera de cocobolo/Cocobolo wood
- Funda/Sheath: Nylon negro/Black nylon



P-8CO

- Hoja/Blade: 83 mm
- Mango/Handle: 104 mm
- Peso/Weight: 75 grs
- Espesor/Thickness: 2 mm
- Dureza/Hardness: 58-60 HRC
- Acero/Steel: 440A
- Cachas/Scales: Madera de cocobolo/Cocobolo wood
- Funda/Sheath: Nylon negro/Black nylon



CS-11R

- Hoja/Blade: 110 mm
- Mango/Handle: 110 mm
- Peso/Weight: 150 grs
- Espesor/Thickness: 4,5 mm
- Dureza/Hardness: 56-58 HRC
- Acero/Steel: X50CrMoV15 "MoVa" (1.4116)
- Empuñadura/Handle: Madera prensada coral/Coral pakawood
- Virola/Bolster: Inox
- Funda/Sheath: Piel/Leather



CS-15R

- Hoja/Blade: 150 mm
- Mango/Handle: 115 mm
- Peso/Weight: 180 gr
- Espesor/Thickness: 4,5 mm
- Dureza/Hardness: 56-58 HRC
- Acero/Steel: X50CrMoV15 "MoVa" (1.4116)
- Empuñadura/Handle: Madera prensada coral/Coral pakawood
- Virola/Bolster: Inox
- Funda/Sheath: Piel/Leather



BW-CLASSIC-16G

- Hoja/Blade: 160 mm
- Mango/Handle: 177 mm
- Peso/Weight: 332 gr
- Espesor/Thickness: 4,5 mm
- Dureza/Hardness: 56-58 HRC
- Acero/Steel: X50CrMoV15 "MoVa" (1.4116)
- Defensa/Guard: Latón/Brass
- Cachas/Scales: Micarta yute verde/Green jute micarta
- Funda/Sheath: Piel/Leather



BW-CLASSIC-16M

- Hoja/Blade: 160 mm
- Mango/Handle: 177 mm
- Peso/Weight: 332 gr
- Espesor/Thickness: 4,5 mm
- Dureza/Hardness: 56-58 HRC
- Acero/Steel: X50CrMoV15 "MoVa" (1.4116)
- Defensa/Guard: Latón/Brass
- Cachas/Scales: Micarta yute marrón y mostaza/Brown-mustard jute micarta
- Funda/Sheath: Piel/Leather

BW-CLASSIC-19G

- Hoja/Blade: 188 mm
- Mango/Handle: 124 mm
- Peso/Weight: 375 gr
- Espesor/Thickness: 4,5 mm
- Dureza/Hardness: 56-58 HRC
- Acero/Steel: X50CrMoV15 "MoVa" (1.4116)
- Defensa/Guard: Latón/Brass
- Cachas/Scales: Micarta yute verde/Green jute micarta
- Funda/Sheath: Piel/Leather



BW-CLASSIC-19M

- Hoja/Blade: 188 mm
- Mango/Handle: 124 mm
- Peso/Weight: 375 gr
- Espesor/Thickness: 4,5 mm
- Dureza/Hardness: 56-58 HRC
- Acero/Steel: X50CrMoV15 "MoVa" (1.4116)
- Defensa/Guard: Latón/Brass
- Cachas/Scales: Micarta yute marrón y mostaza/Brown-mustard jute micarta
- Funda/Sheath: Piel/Leather



BX-8GR

- Hoja/Blade: 81 mm
- Mango/Handle: 108 mm
- Peso/Weight: 120 grs
- Espesor/Thickness: 3 mm
- Dureza/Hardness: 59-61 HRC
- Acero/Steel: 440C
- Cachas/Scales: Madera prensada coral/Coral pakawood
- Virola/Bolster: Titanio y níquel/Titanium and nickel
- Funda/Sheath: Nylon negro/Black nylon

BX-8GM

- Hoja/Blade: 85 mm
- Mango/Handle: 108 mm
- Peso/Weight: 120 grs
- Espesor/Thickness: 3 mm
- Dureza/Hardness: 59-61 HRC
- Acero/Steel: 440C
- Cachas/Scales: Micarta negra/Black micarta
- Virola/Bolster: Titanio y níquel/Titanium and nickel
- Funda/Sheath: Nylon negro/Black nylon





K-7R

- Hoja/Blade: 71 mm
- Mango/Handle: 93 mm
- Peso/Weight: 45 grs
- Espesor/Thickness: 2,7 mm
- Dureza/Hardness: 55-58 HRC
- Acero/Steel: 420
- Cachas/Scales: Madera prensada coral con bloqueo lockback/Coral pakawood with lockback
- Funda/Sheath: Nylon negro/Black nylon



HUSKY-10M.DX

- Hoja/Blade: 110 mm
- Mango/Handle: 116 mm
- Peso/Weight: 242 grs
- Espesor/Thickness: 3,5 mm
- Dureza/Hardness: 58-60 HRC
- Acero/Steel: Damasco inoxidable Damax™/Stainless Damascus Damax™
- Cachas/Scales: Micarta negra 3D/Black micarta 3D
- Funda/Sheath: Piel/Leather

PANZER-10BM

- Hoja/Blade: 100 mm
- Mango/Handle: 130 mm
- Peso/Weight: 160 grs
- Espesor/Thickness: 3,5 mm
- Dureza/Hardness: 60-62 HRC
- Acero/Steel: Acero al carbono D2/Carbon steel D2
- Cachas/Scales: Micarta negra con separador rojo/Black micarta with red fiber spacer
- Funda/Sheath: Nylon negro/Black nylon
- Rodamiento axial/Ball bearing





VERDUGO-10G

- Hoja/Blade: 102 mm
- Acabado de la hoja/Blade finish: Negro lavado a la piedra/Black stonewashed
- Peso/Weight: 151 grs
- Espesor/Thickness: 4 mm
- Dureza/Hardness: 60-62 HRC
- Acero/Steel: Acero al carbono D2/Carbon steel D2
- Cachas/Scales: G10 negro sin textura/Black G10 with no texture
- Rodamiento axial/Ball bearing



Designed by Denis Simonutti



VIBORA-10M

- Hoja/Blade: 76 mm
- Peso/Weight: 76 grs
- Espesor/Thickness: 3 mm
- Dureza/Hardness: 60-62 HRC
- Acero/Steel: Acero al carbono D2/Carbon steel D2
- Cachas/Scales: Micarta canvas verde/Green canvas micarta
- Rodamiento axial/Ball bearing



VIBORA-10G

- Hoja/Blade: 76 mm
- Acabado de la hoja/Blade finish: Negro lavado a la piedra/Black stonewashed
 - Peso/Weight: 82 grs
 - Espesor/Thickness: 3 mm
 - Dureza/Hardness: 60-62 HRC
- Acero/Steel: Acero al carbono D2/Carbon steel D2
- Cachas/Scales: G10 negro sin textura/Black G10 with no texture
 - Rodamiento axial/Ball bearing



5161-D

- Hoja/Blade: 160 mm
- Mango/Handle: 110 mm
- Peso/Weight: 270 grs
- Espesor/Thickness: 3,5 mm
- Dureza/Hardness: 55-56 HRC
- Acero/Steel: Nitro 42
- Empuñadura/Handle: Mango zamak lacado negro y cachas arena ABS/Black zamak and ABS desert



5162-D

- Hoja/Blade: 160 mm
- Mango/Handle: 110 mm
- Peso/Weight: 270 grs
- Espesor/Thickness: 3,5 mm
- Dureza/Hardness: 55-56 HRC
- Acero/Steel: Nitro 42
- Empuñadura/Handle: Mango zamak lacado arena y cachas marrón ABS/Desert zamak and ABS brown



85-182

- Hoja/Blade: 180 mm
- Mango/Handle: 110 mm
- Peso/Weight: 290 grs
- Espesor/Thickness: 3,5 mm
- Dureza/Hardness: 55-56 HRC
- Acero/Steel: Nitro 42
- Empuñadura/Handle: Mango zamak lacado gris y cachas negro ABS/Grey zamak and ABS black



85-181.D

También disponibles con hoja de 160 mm:

-85-162
-85-161.D

- Hoja/Blade: 180 mm
- Mango/Handle: 110 mm
- Peso/Weight: 290 grs
- Espesor/Thickness: 3,5 mm
- Dureza/Hardness: 55-56 HRC
- Acero/Steel: Nitro 42
- Empuñadura/Handle: Mango zamak lacado negro y cachas arena ABS/Black zamak and ABS desert



CUBIERTO-2

- Peso/Weight: 70 grs
- Material
cubiertos/Material of
cutlery: Acero inox.
18/10/Stainless steel.
18/10
- Funda/Sheath: Cordura



SET-CAMPING

- Hoja/Blade: 100 mm
- Acero/Steel: Inox
- Empuñadura/Handle: Mango de goma/Rubber handle
- Funda/Sheath: Cordura





FP-19R

- Hoja/Blade: 190 mm
- Mango/Handle: 110 mm
- Dureza/Hardness: 56-58 HRC
- Acero/Steel: X50CrMoV15 "MoVa" (1.4116)
- Empuñadura/Handle: Madera prensada coral/Coral pakkawood
- Funda/Sheath: Piel/Leather



FP-15M

- Hoja/Blade: 150 mm
- Mango/Handle: 110 mm
- Dureza/Hardness: 56-58 HRC
- Acero/Steel: X50CrMoV15 “MoVa” (1.4116)
- Empuñadura/Handle: Micarta negra/Black micarta
- Funda/Sheath: Piel/Leather